



Legal Interoperability of Research Data: Principles and Implementation Guidelines

The Challenge:

Providing researchers with guidance for dealing with the legal aspects entailed when working with data from diverse sources.

What is the solution?

The CODATA-RDA Legal Interoperability Interest Group has studied the issues related to the intellectual property of data: the resulting outcome is a set of principles and practical implementation guidelines. They are offered as high-level guidance to all members of the research community—the funders, managers of data centers, librarians, archivists, publishers, policymakers, university administrators, individual researchers, and their legal counsel—who are engaged in activities that involve the access to and reuse of research data from diverse sources. The Principles are synergistic, so their greatest benefit is realized when they are considered together.



Produced by: RDA/CODATA Legal Interoperability Interest Group

https://www.rd-alliance.org/groups/rdacodata-legal-interoperability-ig.html



The ability of the research community to share, access, and reuse data, as well as to integrate data from diverse sources for research, education, and other purposes requires effective technical, syntactic, semantic, and legal interoperability rules and practices. The Principles and guidelines produced by the RDA/CODATA Legal Interoperability Interest Group focus on legal interoperability because there tends to be misunderstanding and lack of knowledge and guidance about legal issues concerning research data generally.

and reuse of data, either produced by researchers themselves or used in research and other activities. It is specifically focused on the ability to integrate those data for research purposes in the context of intellectual property law.

RDA/CODATA Legal Interoperability Interest Group Supporting Output





23 Things For Research Data Management

The Challenge:

Build capacity within the library community around research data management, ensure libraries are aligned with other research data management service providers, and share practices as new library services evolve and mature.

What is the solution?

23 Things: Libraries for Research Data provides an overview of practical, free, online resources and tools that librarians can begin using today to incorporate research data management into the daily practice of librarianship. Available in 12 languages, the resource groups 23 free, online resources to help librarians address issues on data management such as Metadata, Digital Preservation, Data Repositories, Data Licencing and Privacy or Data Citation.



Produced by: Libraries for Research Data Interest Group https://www.rd-alliance.org/groups/libraries-research-data.html



flexible, self-paced learning designed to progressively build participants' understanding of key concepts and gain experience in research data management. Libraries and librarians hold an immense responsibility and are adapting their function to making data reliably accessible and re-usable. 23 Things will help them in applying the principles of library science to solve problems and provide new services related to research data. It could also support them in their potentially daily work of organizing, classifying, and describing research data and developing standards for metadata to help make data more easily discovered, understood, and preserved or in that of promoting the scholarship of data by encouraging and enabling data citation, assigning identifiers to datasets, creating links between documents and data, and helping users properly attribute credit to data producers.

23 Things: Libraries for Research Data Supporting Output





Sustainable Business Models for Brokering Middleware to support Research Interoperability

The Challenge:

Broker software now has a level of maturity that requires addressing sustainment of the middleware, including the question of which business models could be adopted to best serve this need.

What is the solution?

Bridging scientific disciplines through the introduction of a broker or mediation capability has been demonstrated for a number of cross-discipline applications [Nativi, et al 2013]. The development and use of brokering middleware in a research environment is a relatively new development and the sustainability of such a capability has not previously been addressed. The Brokering governance Working Group, in addressing the questions of sustainability, does not presuppose which business/revenue or hybrid model might be embraced to sustain this middleware, but rather examines five classes of business models for consideration.



Produced by: Brokering Governance WG

https://www.rd-alliance.org/groups/brokering-governance.html

the strengths and weakness of different models in the context of long-term sustainment of brokering middleware. Examination of alternatives leads to a prioritization among models with the recognition that no single model by itself is likely to provide the desired sustainment. The analysis suggests that a hybridized model incorporating aspects of three different business models over the lifespan of the brokering middleware, i.e. federally funded data facility guardianship in the establishment stage replaced or supported by a Consortium model and/or Software-as-a-Service as the broker matures, will likely provide the strongest model for sustainment.

the Brokering Governance WG Recommendation





RESEARCH DATA SHARING WITHOUT BARRIERS

The Research Data Alliance is an international organisation focused on the development of infrastructure and community activities aimed to reduce barriers to data sharing and exchange, and promote the acceleration of data driven innovation worldwide.

www.rd-alliance.gg



@resdatall







Workflows for Research Data Publishing: Models and Key Components

The Challenge:

Assisting research communities in understanding options for data publishing workflows and increasing awareness of emerging standards and best practices

What is the solution?

The RDA/WDS Publishing Data Workflows Working Group advocates the implementation of existing good practice for repositories and all parts of the data publishing process and the development of new standards where necessary. The group works on a data publishing reference model comprised of generic components which need to be interoperable and seamlessly accessible.



Produced by: RDA/WDS Publishing Data Workflows WG

https://rd-alliance.org/groups/ rdawds-publishing-data-workflows-wg.html



All stakeholder groups, including publishers, libraries, data centres and most importantly researchers, have access to guidance on how to do professional data publishing using recommended best practices.

This will ensure improved interoperability of the individual elements of data publishing (e.g. journals with repositories) and ultimately drive the practice of their adoption in the research communities, hence fostering open science and data-driven discoveries and reliable reuse of research data.

Find out more about the RDA/WDS Publishing Data Workflows WG Recommendation







An open, universal literature-data cross-linking service

The Challenge:

Sharing information about the links between the literature and research data.

What is the solution?

Building on pre-existing components and international initiatives, the RDA/WDS Publishing Data Services Working Group is one of the drivers behind the "Data Literature Interlinking Service" (DLI), developed in a synergy with OpenAIRE & PANGAEA. DLI is aimed at improving visibility, discoverability, re-use and reproducibility by bringing 2M+ existing article/data links together, normalize them using a common schema, and exposing the full set as an open service.



Produced by: RDA/WDS Publishing Data Services WG

https://rd-alliance.org/groups/ rdawds-publishing-data-services-wg.html



Accessing and using literature-data links at large scale in an efficient and reliable way allows different stakeholders in the data publishing landscape to improve their services, increase data discoverability and usability.

Data centres will be able to assess much better how often their data is used in the literature, and present their users with links to relevant publications.

> Find out more about the RDA/ WDS Publishing Data Services WG Recommendation



Sentember 2020







Repository Audit and Certification Catalogues

The Challenge:

Creating harmonized Common Procedures for certification of repositories

What is the solution?

Drawing from the procedures already put in place by the Data Seal of Approval (DSA) and the ICSU World Data System (IC-SU-WDS), the RDA Repository Audit and Certification DSA-WDS Partnership Workin Group has produced a convergent DSA-WDS certification standard aiming to eliminate duplication of effort, increase certification procedure coherence and compatibility thus benefitting researchers, data managers, librarians and scientific communities.



Produced by: The Repository Audit and Certification DSA-WDS Partnership WG

https://rd-alliance.org/groups/rdawds-certification-digital-repositories-iq.html



60

The convergent DSA-WDS certification standard marks a step towards having more coherent, increasingly stringent and compatible standards for repository certification.

The harmonization of repository certification criteria will increase adoption and the number of certified repositories building trust for data generators, data consumers and funding bodies.

CO

COL

0

0

Find out more about the Repository Audit and Certification DSA-WDS Partnership WG Recommendation





Wheat Data Interoperability Guidelines, Ontologies and User Cases

The Challenge:

Helping researchers create, manage and exchange wheat data

What is the solution?

To answer the needs of the Wheat Data community the RDA Wheat Data Interoperability Working group has built an interactive cookbook with recommendations and guidelines on wheat data use, set up a repository with wheat-related linked vocabularies and built a set of prototypes designed to test interoperability across datasets and services.



Produced by: Wheat Data Interoperability (WDI) WG

https://rd-alliance.org/groups/ wheat-data-interoperability-wg.html



The Recommendations of the Wheat Data Interoperability WG are aimed at improving the management, sharing, discovery, reusability, and interoperability of data and datasets within the wheat community. The standardization and harmonization of wheat data will reduce variability and increase the relevance of wheat data related tools. The outputs of this group are used as a building block in the Wheat Information System (Wheat IS) a framework to establish a global wheat information system, supported by the Wheat Initiative, a global initiative that brings together national and international research programmes to increase food security and nutritional value while taking into account societal demands for sustainable and resilient agricultural production systems.

Find out more about the Wheat Data Interoperability WG Recommendation



0013



Metadata Standards Directory

The Challenge:

Enabling discovery of metadata standards for documenting research data, regardless of academic discipline, and addresses issues related to coverage, ease of maintenance and sustainability.

What is the solution?

The Metadata Standards Directory Working Group adopted, enriched, & expanded the Disciplinary Metadata Standards Catalogue set up by the UK Digital Curation Centre (DCC), and developed a functional prototype directory based around the GitHub infrastructure, that places the information from the DCC directory into an environment where it can be maintained transparently with full version control.



Produced by: Metadata Standards Directory (MSD) WG

https://rd-alliance.org/groups/metadata-standards-directory-working-group.html



researchers towards the metadata standards catalogue was built to guide researchers towards the metadata standards and tools relevant for their discipline. The directory drives up adoptior of those standards, improving the chances of future researchers finding, accessing, and reusing the associated data.

By raising awareness of existing standards, the directory reduces the proliferation of ad hoc metadata formats and helps direct future standards development efforts towards those areas that most need it.

Find out more about the MSD WG Recommendation





Data Description Registry Interoperability Model

The Challenge:

Providing researchers with a mechanism to connect datasets in different data repositories based on various models such as co-authorship, joint funding, grants, etc.

What is the solution?

The Data Description Registry Interoperability Working Group is engaged in a series of bi-lateral information exchange projects and an open, extensible, and flexible cross-platform research data discovery software solutions.



Produced by: Data Description Registry Interoperability WG

https://rd-alliance.org/groups/data-description-registry-interoperability.html

60 60

Researchers will be able to use simple enabling infrastructures, such as the Research Data Switchboard, based on existing open protocols and standards with a flexible and extensible approach, to retrieve data relevant to their studies from multiple heterogeneous repositories.

Repositories will be able to plug-into these infrastructures enabling context based retrieval of the data, reducing fragmentation across institutions, countries and research domains.

Find out more about the DDRI WG Recommendation





Scalable dynamic-data Citation Methodology

The Challenge:

Supporting accurate citation of data subjected to change, for the efficient processing of data and linking from publications.

What is the solution?

The Dynamic Data Citation Working Group developed a simple, scalable mechanism that allows the precise, machine-actionable identification of arbitrary sub selections of data at a given point in time irrespective of any subsequent addition, deletion or modification.



Produced by: Data Citation (WGDC) WG

https://rd-alliance.org/groups/ data-citation-wg.html

The main impact is on the reproducibility of work: it allows databases to be dynamically updated as needed, while users can still retrieve the data as it was at a specific point in time, providing valuable semantic information on the way the specific dataset was constructed.

As data gets migrated to new representations, the queries to extract the specific cited subset can be migrated accordingly, ensuring stability across technological changes enhancing data interoperability, sharing and re-use.

Find out more about the Data Citation WG Recommendation





Machine Actionable Policy Templates

The Challenge:

Data repositories need to publish their policies & procedures to build trust in their operation.

What is the solution?

The Practical Policy Working Group produced a document describing best practices and a set of machine actionable policy templates covering 11 highly relevant policy areas including contextual metadata extraction, data access control, data backup, data formal control, data retention, disposition, integrity (incl. replication), notification, restricted searching, storage cost reports, and use agreements.



Produced by: Practical Policy (PP) WG

https://rd-alliance.org/groups/ practical-policy-wg.html

Computer actionable policies are used to enforce management, automate administrative tasks, validate assessment criteria, and automate scientific analyses.

Benefits of using policies include minimization of the amount of labor needed to manage a collection, the ability to publish to the users the rules that are being used, and the ability to automate process management.

Find out more about the PP WG Recommendation





Persistent Identifier Type Registry

The Challenge:

Defining standard core PID information types to enable simplified verification of data identity and integrity

What is the solution?

The PID Information Types Working Group identified the essential types of information associated with persistent identifiers, defined and registered a number of core persistent identifiers (PIDs) information types. The working group developed a conceptual model for structuring the typed information, an application programming interface to access to typed information and a demonstrator implementing the interface.



Produced by: PID Information Types (PIT) WG

https://rd-alliance.org/groups/ pid-information-types-wg.html



In complex data domains, unique and persistent identifiers (PIDs) are at the core of proper data management and access, providing a unified access method to all PID service users and the automatic processes to deal with heterogeneous data allowing them to fully exploit the huge amount of data available. Registered PID Information Types are one of the fundamental building blocks to enable semantic interoperability of data.

Developers are able use a simple API to deal with PID related information, such as checksum verification, to assess data identity and integrity, thus enabling software development to become more efficient.

Find out more about the PIT WG Recommendation





Data Type Model & Registry

The Challenge:

Ensuring data producers classify their data sets in standard data types, allowing data users to automatically identify instruments to process and visualise the data

What is the solution?

The Data Type Registries Working Group established open Data Type Registries (DTRs) as public repositories where developers and researchers can add their data types and references to tools that can operate on them. Datasets are associated to data types defined in DTRs, thus enabling researchers to access and visualise data regardless of its specific type, facilitating sharing and re-use.



Produced by: Data Type Registries (DTR) WG

www.rd-alliance.org/groups/data-type-registries-wg.html

Researchers are able to process and/or visualize the data types registered in the DTRs without any prior knowledge of the data types. This increases efficiency in time and the leve of cross-domain data interoperability and re-use.

Machines will be able to automatically process the data types registered in the DTRs. Machine readable DTRs pave the way to automatic processing in the data domain, which is becoming increasing complex, without putting an additional load on the researchers.

Find out more about the DTR
WG Recommendation





Basic Vocabulary of Foundational Terminology Query Tool

The Challenge:

Ensuring researchers apply a common core data model when organising their data and thus making data accessible and re-usable.

What is the solution?

Based on 21 data models presented by experts coming from different disciplines and 120 interviews and interactions with different scientists and scientific departments, the Data Foundation & Terminology Working Group has produced 5 inter-related reports and extracted a common core model for the proper organisation of data. Based on this common conceptualization a number of core terms were defined and registered to also help harmonisation of terminology.



Produced by: Data Foundation and Terminology (DFT) WG

www.rd-alliance.org/groups/data-foundation-and-terminology-wg.html



Researchers from different disciplines will be able to more easily implement proper and FAIR compliant data organisations for example in repositories and also interact more easily with each other and come to a common understanding more rapidly, through increased cross disciplinary data exchange & interoperability. Developers will be able to design interoperable data management and processing software systems allowing data to be exchanged and integrated easily in particular in a cross-disciplinary setting. It will be easier to specify standard APIs to request useful information related to a specific Digital Object, thus accelerating the development time & enabling extensive data & software re-use

Find out more about the DFT WG Recommendation







Summer Schools in Data Science and data sharing framework

The Challenge:

A framework to run a series of Summer Schools in Data Science and data sharing in low and middle income countries (LMICs).

What is the solution?

The CODATA/RDA Summer School in Data Science and Cloud Computing in the Developing World WG provides a framework to run a series of Summer Schools in Data Science and data sharing in low and middle income countries (LMICs) with the goal of addressing the gap in research data science skills that stops researchers from reaping the benefits of the data revolution.



Produced by: RDA/CODATA Summer Schools in Data Science and Cloud Computing in the Developing World WG

https://www.rd-alliance.org/groups/rdacodata-summer-schools-data-science-and-cloud-computing-developing-world.html



The RDA/CODATA Working group is focused on consolidating the framework and the continued collaboration for the development and improvement of the curriculum and training materials, which include the principles and practice of Open Science, research data management and curation, the use of a range of data platforms and infrastructures, large scale analysis, statistics, visualisation and modelling techniques, software development.

The need for a consistent education in Research Data Science is increasingly paramount for many stakeholders, from scientists to funders to policy makers from many nations. All disciplines need to ensure that research is reproducible and that provenance is documented reliably and this requires a transformation in practice and the promotion of the necessary culture, practice and skills.

RDA/CODATA Summer Schools in Data Science and Cloud Computing in the Developing World WG Recommendation



CONTRACTOR OF THE PARTY OF THE



Research Data Repository Interoperability Primer

The Challenge:

Huge amounts of research data stored in a multitude of research data repository platforms can often only be used by a comparably small audience.

What is the solution?

On the one hand, this is caused by differences in semantics, underlying data models and metadata schemas, whose complexity and number prevents scientists from taking advantage of them. On the other hand, a lack of interoperability between research data repository platforms causes research data not to be used to their full potential. The goal of the RDA Research Data Repository Interoperability WG (RDRIWG) and of the Primer is to achieve consensus on an adoptable approach to facilitating research data repository interoperability for a defined set of initial use cases.



Produced by: Research Data Repository Interoperability WG

www.rd-alliance.org/groups/research-data-repositoryinteroperability-wg.html

The Research Data Repository Interoperability Primer presents a set of initial use cases, as well as an overview of standards, technologies and tools that could be components of an agreed adoptable approach to facilitating interoperability between different research data repository platforms. Main focus is on machine-machine communication with the primary goal of enabling migration and replication.

Research Data Repository Interoperability WG



0

0



Recommendation on Research Data Collections

The Challenge:

Research data management practice requires not only to describe collections, but to make them actionable by automated processes to be able to cope with ever increasing amounts and volumes of data.

What is the solution?

The RDA Research Data Collection Recommendation provides a comprehensive model for actionable collections and a technical interface specification to enable client-server interaction. It also reports on first adoption and implementation efforts across communities and institutions and provides perspectives on the use of data types in connection with collection structures, highlighting pathways for possible future work.



Produced by: Research Data Collections WG

www.rd-alliance.org/groups/research-data-collections-wg.html



60

The recommendation allows building collections within diverse domains and then sharing or expanding them across disciplines.

This should enable common tools for end-users and e-infrastructure providers. Individual disciplinary communities can directly benefit if such tools are made widely available, and cross-community data sharing can benefit from increased unification between collection models and implementations.



Research Data Collections WG



Matrix of use cases and functional requirements for research data repository platform

The Challenge:

Gather and analyze research data use cases in the context of repository platform requirements

What is the solution?

Based on use cases, the matrix describes forty-four functional requirements identified for research data repository platforms and provides a score identifying relative importance. These functional requirement scores can be used to assess research data repository platforms and to prioritize functional requirements for development and adoption.



Produced by: Repository Platforms for Research Data IG

https://www.rd-alliance.org/groups/repository-platformsresearch-data.html



What is the impact?

The matrix was envisioned to support the work of developers and service providers of repository software, repository implementers and managers, funding agencies, grant applicants, and researchers generating and using scientific data.

selecting, implementing, and using specific research data repository platforms/products across institutions and domains, with reference to the aforementioned functional requirements. From this, the IG may identify potential gaps between needs and solutions in the current research data repository environment, and will seek opportunities to propose the formation of new RDA working groups to address them.

Matrix of use cases and functional requirements for research data repository platform supporting output





The FAIRsharing Registry and Recommendations: Interlinking Standards, Databases and Data Policies

The Challenge:

With thousands of interoperability standards, databases and policies, researchers – and those involved in curating, preserving, publishing or regulating data – need help to make informed decisions on which metadata standards to use, which are implemented in a repository and/or recommended by a journal.

What is the solution?

Recommendations to guide producers of standards, databases, repositories and policies, and a registry to make their resources discoverable to prospective users, called FAIRsharing (fairsharing.org). This registry tracks the development and evolution of standards, their implementation in databases, and adoption in data policies from funders, journals and other organizations.



Produced by: Force11 / RDA FAIRsharing WG

https://rd-alliance.org/group/ fairsharing-registry-connecting-data-policies-standards-databases.html



What is the impact?

As of March 2018, we have 1168 standards, 1050 databases and 111 policies. Our aim is to ensure quality rather than quantity. A key part of this is working directly with the community, engaging the maintainers of each standard, database and policy to actively update the record for their resource on FAIRsharing. FAIRsharing has already been used and adopted by a number of journal publishers (e.g. PLOS, Springer Nature, F1000), research data management programmes (e.g. ELIXIR and NIH), community and infrastructure groups (e.g. Biodiversity TDWG), and research and funding programmes (e.g. JISC) (see more at fairsharing. org/communities).

the initiative that fostered the development of the FAIR principles. Starting in the life sciences domain, this RDA/Force11 WG has now expanded to be cross-discipline/domain. Join us!

Find out more about the FAIRSharing Registry recommendations



0013







RDA 11 Plenary Meeting

21-23 March 2018 Berlin, Germany

From Datato Knowledge

www.rd-alliance.org/plenaries/rda-eleventh-plenarymeeting-berlin-germany



The Eleventh RDA Plenary Meeting took place from the 21st to the 23rd March 2018 in Berlin, Germany.

Under the theme "From Data to Knowledge", the Plenary meeting welcomed the participation of all data scientists, experts and practitioners engaged in the advancement of data-driven science and economy.



COLLECT THEM ALL!

RDA Plenary





Data Discovery Paradigms: User Requirements and Recommendations for Data Repositories

The Challenge:

When there are more and more data open and available through data repositories, it becomes ever more challenging for researchers to find relevant data. This supporting output presents a work that addresses the data findability problem.

What is the solution?

By gathering and analysing use cases, the IG has identified a core set of functional requirements for a data repository and proposed ten recommendations with exemplar implementations to meet the requirements. This work can help data repositories improve search and discovery of their data.



Produced by: Data Discovery Paradigms Interest Groupwww.rd-alliance.org/groups/data-discovery-paradigms-ig

What is the impact?

The work focuses on enabling and improving the methods and tools by which users find data in repositories. Recommendations can be used as guidelines or as a reference for developers, project and product managers at data repositories, as well as researchers who are involved in developing and improving data repositories, community platforms, or interfaces to data collections.

Find out more about the Data Discovery Paradigms Interest Group





Eleven Quick Tips for Finding Research Data

The Challenge:

Considering the vast amount and variety of data are made available, finding relevant data to meet a research need is increasingly a challenge. Over the past decades, science has experienced rapid growth in the volume of data available for research - from a relative paucity of data in many areas to what has been recently described as a data deluge.

What is the solution?

The Data Discovery Paradigms IG output offers eleven quick tips that researchers can follow to more effectively and precisely discover data that meets their specific needs. The articles include an list of useful resources and examples that can be easily leveraged by all types of users.



Produced by: Data Discovery Paradigms Interest Group

https://www.rd-alliance.org/group/data-discovery-paradigms-ig/ outcomes/ten-quick-tips-finding-research-data

What is the impact?

Encouraging wide adoption to educate and train research students and early career researchers, and to help researchers more effectively and precisely discover data that meets their specific needs.

Find out more about the Eleven Quick Tips for Finding Research Data





Income Streams for Data Repositories

The Challenge:

Basic funding of data infrastructure may not keep pace with increasing costs. There is a need, therefore, to consider alternative cost recovery options and a diversification of revenue streams. In short: who will pay for public access to research data?

What is the solution?

The RDA/WDS Interest Group Publishing Data Cost Recovery for Data Centres aims to contribute to strategic thinking on cost recovery by conducting research to understand current and possible cost recovery strategies for data centres. As the main body of work, the Interest Group has conducted a survey of over twenty data centres around the globe, and in different domains.



Produced by: RDA/WDS Publishing Data Cost Recovery for Data Centres IG

www.rd-alliance.org/groups/rdawds-publishing-data-cost-recovery-data-centres.html



What is the impact?

The survey consisted of structured in-depth interviews with high-level representatives of these organisations and was focused on identifying various existing approaches to cost recovery, the range of income streams available and current and possible business models.

The principal beneficiaries of this work will be data centre managers on the one hand and research infrastructures on the other. Each of these stakeholders will gain a valuable insight into alternative options for cost recovery, substantiated by the survey results.

Find out more about the Income Streams for Data Repositories





The Digital Frontiers of Global Science

DATA WEEK 2018 5 - 8 NOVEMBER WWW.INTERNATIONALDATAWEEK.ORG

Co-organized by the ICSU World Data System (WDS), the ICSU Committee on Data for Science and Technology (CODATA) and the Research Data Alliance (RDA), IDW 2018 combines the 12th RDA Plenary Meeting, the bi-annual meeting of the research data community, and SciDataCon 2018, the scientific conference addressing the frontiers of data in research.













With the theme of 'The Digital Frontiers of Global Science', this landmark event was a rich week of science and data, featuring world renowned keynote speakers, plenary panels and discussions, and the presentation of high quality research and practical working sessions for international collaborations.

www.internationaldataweek.org



COLLECT THEM ALL!





Research Data Repository Interoperability WG Final Recommendations

The Challenge:

Huge amounts of research data stored in a multitude of research data repository platforms can often only be used by a comparably small audience. This is caused by differences in semantics, underlying data models and metadata schemas, whose complexity and number prevents scientists from taking advantage of them. As well as a lack of interoperability between research data repository platforms. The goal of the RDA Research Data Repository Interoperability WG (RDRIWG) was to achieve consensus on an adoptable approach to facilitating research data repository interoperability for a defined set of initial use cases.



Produced by: Research Data Repository Interoperability WG

https://www.rd-alliance.org/groups/research-data-repository-interoperability-wg.html



What is the solution?

This output provides recommendations with respect to an interoperable packaging and exchange format (based on the Baglt specification) for digital content. In order to achieve a basic level of interoperability of such exchange packages, DataCite metadata are recommended to be included in each package. The presented recommendations document describes the exchange format itself together with adoption quidelines and information about related efforts.

What is the impact?

Once implemented, compliant packages can be used to migrate or replicate digital content between research data repository platforms or for preservation purposes.

Find out more about this recommendation:





A survey of current practices in data search services

The Challenge:

A critical element of any data repository is its search system, which determines the discoverability of a repository's holdings. However, it is unknown how the catalogues of each have been configured and what the benchmarks are of the services used for making data searchable.

What is the solution?

This survey was conducted between June and July 2018. It examined the practices that data repositories employ in helping users search their holdings and demonstrate the value of looking across disciplines at the common data discovery issues, such as relevancy, that all data repositories face.



Produced by: Data Discovery Paradigms IG

https://www.rd-alliance.org/groups/data-discovery-paradigms-ig



What is the impact?

In estudy finds that repositories desire guidelines for improving relevancy ranking in their systems, with small repositories having the greatest need. Repositories understand that their search systems need to be evaluated and improved, but often lack the resources (time and/or expertise) to explore and evaluate the available options. The study concludes that there is an opportunity for people working in the search space to collaborate, to build test collections and other efforts that offer the greatest improvements in search services at the lowest cost.



0013

Find out more about this survey:



Addressing the Gaps: Recommendations for Supporting the Long Tail of Research Data

The Challenge:

Large structured datasets in well-established disciplines are more likely to adopt unified and standardized formats that are disciplinarily defined and accepted. Similarly well established disciplines tend to have common and understood workflows, where long tail datasets, which vary radically in source, discipline, size, subject, provenance, funding, format, longevity, location and complexity, are less likely to adhere to common standards. Ensuring that wide distributed and diverse long-tail data is discoverable and stored in appropriate formats to facilitate reuse is challenging.



Produced by: Long tail of research data IG

https://www.rd-alliance.org/groups/long-tail-researchdata-ig.html



What is the solution?

The RDA "Long Tail of Research Data Interest Group" has been assessing the situation of long tail data. This document provides seven recommendations for a variety of stakeholders, including governments, funders, research institutions and researchers to help improve the current approach to managing long tail data.

What is the impact?

"Long Tail of Research Data Interest Group" calls on the community to work together to create necessary and sufficient conditions to properly steward long tail valuable research outputs for future generations of researchers.

Find out more about this recommendation:





Persistent identifiers: Consolidated assertions

The Challenge:

Despite 20 years of discussions about PIDs, there still exists much confusion and lack of knowledge about persistent identifiers (PIDs) in many research communities. In part, this is the consequence of the vast number of documents and reports on the PID topic in existence, many of which focus on very specific aspects, or use different and sometimes incorrect terminologies.

What is the solution?

To help bring more clarity, it was therefore agreed in GEDE and the RDA Data Fabric Interest Group to join forces to produce a compilation of relevant assertions (extracted statements from original sources), supplemented with context information and explanations as required, and leading up to a summary of agreements and disagreements reflecting the convergence of understanding.



Produced by: Data Fabric Interest Group

https://www.rd-alliance.org/group/data-fabric-ig.html

What is the impact?

With this document GEDE is happy to help demystify PIDs, overcome confusion and create bridges between the various discipline

Find out more about Persistent identifiers: Consolidated assertions





Summary of Virtual Layer Recommendations

The Challenge:

Data volumes and complexity of scientific data are increasing rapidly, and cross-border re-usage of such data is becoming more common in most research fields. Open data as an agreed default model, backed by FAIR principles to ensure data is Findable. Accessible, Interoperable, and Re-usable, together with Data Management Plans to encourage stronger curation and stewardship have all emerged as community policies underpinning research data sharing without barriers. Presently, the number of research and data infrastructures worldwide is growing, with many similar components re-invented in different variations. Due to this fragmentation, the costs of building and maintaining infrastructure are higher than they should be; as are costs for data re-use. This trend must be counteracted by identifying common components and means of interoperability as a new conceptual framework that creates a new global momentum on data infrastructure interoperability, akin to the creation of the Internet itself.



Produced by: RDA Data Fabric Interest Group

https://www.rd-alliance.org/group/data-fabric-ig.html



What is the solution?

Lomputing and storage components have existed from the beginning of modern computing. The Internet Protocol Addressing system identifies all devices in the network so they can exchange messages using protocols and registries. Together these two layers provide us today with almost unlimited cloud computing capacity with near universal access to dynamically configurable, shared compute and storage capabilities. Yet, to support data-driven science, this is no longer sufficient. We must address data organisation, typing and re-use facilitation to be able to fully realise the value of data, network, compute and storage. We are now in the phase where we must provide a new layer of network wide virtualisation that interlinks data and other artefacts with the help of PIDs, new protocols and new registries.

What is the impact?

A high-level conceptual framework to support Digital Object management and service development.

Find out more about this Supporting Output





Recommendation on PID Kernel Information

The Challenge:

Global middleware infrastructure is insufficient for robust data identification, discovery, and use. While infrastructure is emerging within sub-ecosystems such as the DOI ecosystem of services purposed for data and literature objects (i.e., DataCite, CHORUS, CrossRef), in general the layers of abstraction that have made the Internet so easy to build on, is lacking for data especially for computer (machine) automated services. The PID Kernel Information recommendation wants to advance a small change to middleware infrastructure by injecting a tiny amount of carefully selected metadata into a Persistent ID (PID) record.



Produced by: PID Kernel Information WG

https://www.rd-alliance.org/groups/pid-kernel-information-wg

What is the solution?

The PID Kernel Information working group determined which from amongst thousands of relevant metadata elements are suitable to embed in the PID record. They produced a set of guiding principles, architectural considerations, use cases and a fundamental metadata schema to manage information in Persistent Identifier records for scalable middleware infrastructure and automated processes.

identification of information as out principles to guide in the identification of information suitable for inclusion in the PID record. The recommendation also includes a draft profile with illustrating examples and cases for adoption in practice.

What is the impact?

This carefully chosen and placed information has the potential to stimulate development of an entire ecosystem of third party services that can process the billions of expected PIDs and do so with more information at hand about an object (no need for costly link following) than just a unique ID.

Find out more about this Recommendation





RDA/TDWG Attribution Metadata Working Group: Final Recommendations

The Challenge:

Research collections are an important tool for understanding the Earth, its systems, and human interaction. Despite the importance of collections, many are not maintained or curated as thoroughly as they should. Part of the reason for this is the lack of professional reward for curation, maintenance, or collection.



Produced by: RDA / TDWG Metadata Standards for attribution of physical and digital collections stewardship WG

https://www.rd-alliance.org/groups/metadata-standards-attribution-physical-and-digital-collections-stewardship.html

What is the solution?

To address this gap in metadata attribution, this Working Group recommends the use of PROV entities and properties to link people (Agent), the curatorial actions they perform (Activity), and the digital or physical objects they are curating (Entity). A separate technical document gives specific examples of three use cases as RDF Turtle representations and diagrams.

What is the impact?

This Recommendation supports standardized metadata for attributing work and tracking provenance in the curation and maintenance of research collections.

Find out more about this Recommendation









www.rd-alliance.org/plenaries/rdas-13th-plenary-meetingphiladelphia-us













With the theme, "With Data Comes Responsibility," P13 explored how the international, inter- and transdisciplinary nature of RDA has helped to lay a foundation for global partnerships and addressing responsibility throughout the data-lifecycle and across all domains.



COLLECT THEM ALL!

ODE.

RDA Plenary





M DATA K THE DIFFERENCE S



RDA 14th Plenary Helsinki | Espoo Finland 23-25 October 2019









Data has enormous and diverse potential to change how we work, make decisions and empower citizens. The 14th RDA plenary will explore the extensive ways data can make the difference by bringing together diverse group of experts from all around the globe. During the plenary we will share and learn together and advance our abilities to use data in making a positive impact in the world to tackle its complex challenges.



COLLECT THEM ALL!

RDA Plenary









The CODATA Data Science Journal special collection solicits high quality papers describing the latest results of RDA working groups or interest groups that have recently produced an output, including recommendation and associated use cases that could highlight the added value of RDA work in the data related fields.

The scope of the special collection

The scope of this special collection is to ultimately become a point of reference for experts from the international community that are committed to enabling data sharing, exchange, and interoperability by showcasing the various RDA results and how these have been implemented across disciplines, organisations and geographies.

Specific tools, code, best practices, standards, surveys, recommendations, reports, and other results will be brought to a larger audience via the peer-reviewed, open access Data Science Journal.



Submission process

The Data Science Journal allows for a continuous submission process. Articles are made available as soon as they have gone through the review process.

Publication fees

The "RDA Europe 4.0" project will support the publication of a maximum of 30 articles. Publication fees (i.e. Article Processing Charges) will be covered by the project on a first come first served basis. Please note that funding is available until 15 April 2020.

Continuous submission open at:







A curriculum for foundational Research Data Science skills for Early Career Researchers

The Challenge:

Giving Early Career Researchers (ECR's) the foundational skills in Data Science to work with their data.



Produced by: RDA/CODATA Summer Schools in Data Science and Cloud Computing in the Developing World WG

https://www.rd-alliance.org/groups/rdacodata-summer-schools-data-science-and-cloud-computing-developing-world.html



What is the solution?

I his recommendation describes the curriculum and example materials to give Early Career Researchers (ECR's) the foundational skills in Data Science to work with their data. This curriculum combines technical skills, such as Software Carpentry with responsible research practices such as Open and Responsible Research and Research Data Management This curriculum includes a set of curriculum specifications for the modules run in this curriculum, an example timetable for a 10 day intensive training event, a diagram to show how these modules are connected, and a spreadsheet of links to example materials that implements this.

What is the impact?

At the end of 2019, approximately 400 students had been taught on four continents using the curriculum.

Find out more about this Recommendation





RDA DMP Common Standard for Machine-actionable Data Management Plans

The Challenge:

Data Management Plans are free-form text documents describing the data that is used and produced during the course of research activities. They specify where the data will be archived, which licenses and constraints apply, and to whom credit should be given, etc. The workload and bureaucracy often associated with traditional DMPs can be reduced when they become machine-actionable.



Produced by: DMP Common Standards WG

https://www.rd-alliance.org/groups/dmp-common-standards-wg



The RDA DMP Common Standards Working Group has developed an application profile that allows to express information from traditional DMPs in a machine-actionable way. It allows for automatic exchange, integration, and validation of information provided in DMPs.

The RDA Recommendation document summarises the application profile. The full specification can be found:

What is the impact?

Allows representing Data Management Plans in a machineactionable way, to enable exchange of information between systems acting on behalf of stakeholders involved in the research lifecycle, such as researchers, funders, repository managers, ICT operators, data stewards, etc. It also helps in automating typical data management tasks, thus contributes to a reduction of workload imposed on the stakeholders.

Find out more about this Recommendation





39 Hints to Facilitate the Use of Semantics for Data on Agriculture and Nutrition

The Challenge:

Enhancing data interoperability in agriculture by promoting the use of semantics for agricultural data. For this purpose the RDA Agrisemantics Working Group performed an analysis of the current landscape of use of semantic resources with agricultural data, based on first-hand experience of our group members, as well as on bibliometric investigation, and an analysis of existing repositories. Despite the many possible applications of semantics and the interest shown by research and industry alike, their actual implementation and use is lagging behind. A large number of resources are not in machine-readable formats or do not have public APIs, while those available are often used beyond their intended area of use, possibly leading to problems. There is a strong need for "lifting" semantic resources to the web, and create new ones appropriate to their intended use.



Produced by: Agrisemantics WG

https://www.rd-alliance.org/groups/agrisemantics-wg.html



Based on the landscape analysis of use of semantic resources with agricultural data, a set of high level recommendations were defined for future activities and implementations to facilitate the use of semantics for data on agriculture and nutrition. These recommendations were arranged according to the skill sets and roles that are in the best position to implement them. This resulted in 39 hints for researchers and practitioners to extend them according to their area of expertise.

What is the impact?

The document contains a number of highlights on issues to be addressed in order to make the use of semantics more straightforward and widespread. The RDA Agrisemantics Working Group expects the document to help share awareness about semantics among experts in different areas and support strategic allocation of resources in future development.

Find out more about this Recommendation







WDS/RDA Assessment Of Data Fitness For Use WG Outputs

The Challenge:

The increasing availability of research data and its evolving role as a first class scientific output in the scholarly communication requires a better understanding of and the possibility to assess data quality, which in turn can be described as conformance of data properties to data usability or fitness for use. These properties are multifaceted and cover various aspects. The compliance of a data repository or data center providing datasets - for example with certification requirements - could serve as a useful proxy. Currently, there is a fairly good understanding on how to certify the quality of a data center / repository as a whole, but there is no generally acknowledged concept for assessment of data usability of individual datasets. Assessing fitness for purpose and making a decision whether to reuse a dataset is not straightforward. This situation reduces the chances of shared data being reused and in case of reuse could decrease the reliability of research results.



Produced by: LWDS/RDA Assessment Of Data Fitness For Use WG

https://www.rd-alliance.org/groups/assessment-data-fitness-use



Criteria for research dataset fitness for use compared against the CoreTrustSeal requirements and FAIR principles. Through this comparison of criteria the WDS/RDA Assessment Of Data Fitness For Use Working Group determined that a CoreTrustSeal certified repository's data holdings would meet several aspects of dataset fitness for use. Evaluating metadata and data completeness in an automated fashion is not feasible at this time, therefore a manual evaluative process for research datasets that would build on the CoreTrustSeal repository certification process was developed.

Cill. Cill.

A checklist for evaluation of dataset for fitness for use meant to supplement the CoreTrustSeal Repository Certification process, and is based on the data fitness for use criteria. This manual evaluative process would be conducted by a repository manager or an external entity such as a CoreTrustSeal repository evaluator for a sample (6-12) of individual data sets within the repository.

What is the impact?

- Improved communication of data fitness for use
- Improved and standardized data publication services
- Improved reliability and efficiency in the reuse of research data

Find out more about this Recommendation





Engaging Researchers with Data Management: The Cookbook

The Challenge:

Effective Research Data Management (RDM) is a key component of research integrity and reproducible research, and its importance is increasingly emphasised by funding bodies, governments, and research institutions around the world. However, many researchers are unfamiliar with RDM best practices, and research support staff are faced with the difficult task of delivering support to researchers across different disciplines and career stages. What strategies can institutions use to solve these problems?



Produced by: Libraries for Research Data Interest Group https://www.rd-alliance.org/groups/libraries-research-data.html

Engaging Researchers with Data Management is a collection of 24 case studies, drawn from institutions across the globe, that demonstrate clearly and practically how to engage the research community with RDM. These case studies together illustrate the variety of innovative strategies research institutions have developed to engage with their researchers about managing research data. Each study highlights the essential ingredients that led to its success and challenges encountered along the way. By interviewing key staff about their experiences and the organisational context, the authors of this book have created an essential resource for organisations looking to increase engagement with their research communities.

What is the impact?

Provides examples of 24 innovative, searchable and re-usable case studies on how institutions can effectively engage with researchers about research data.

Find out more about this Recommendation





Tromsø recommendations for citation of research data in linguistics

The Challenge:

Language and linguistics datasets are often not cited, or cited imprecisely, because of confusion surrounding the proper methods for citing them.



Produced by: Linguistics Data IG https://www.rd-alliance.org/groups/linguistics-data-ig



with datasets, these recommendations propose components of data citation for referencing language data, both in the bibliography and in the text of linguistics publications. The recommendations are intended to be guidelines rather than strict rules, and are based on the Austin Principles, the FORCE11 and Research Data Alliance Joint Declaration of Data Citation Principles, and the Reproducible Research in Linguistics position statement

What is the impact?

Provides guidance for citing linguistic data in publications to researchers, academic publishers and resource providers.

Find out more about this Recommendation



FIM4R



Federated Identity Management for Research Collaborations

The Challenge:

Identifying technology-agnostic requirements from an ever-evolving Federated Identity Management (FIM) landscape, which has shifted from its original conception of an arrangement that allows subscribers from multiple organisations to use the same identification data to obtain access to the secured resources of all organisations in the group, to an ecosystem which now comprises an increasing variety of technologies provided by participating organisations.



Produced by: Federated Identity Management IG

https://rd-alliance.org/groups/federated-identity-management



Updating a previous white paper on the topic, input from a broad range of research communities on their interaction with FIM systems was sought. A curated list of requirements and recommendations was gathered through discussion with these research communities, together with analysis of the data obtained as part of a survey of contributing communities. This white paper expands on the role of Research Community Proxy and FIM evolution in the context of current proxy architecture.

What is the impact?

FIM stakeholders are able to coordinate activity to enable research use cases, based on the set of recommendations outlined, to achieve the common vision of Federated Identity Management. Each recommendation is expected to have broad positive impact on the viability and value of Federated Identity Management for future support of research communities. A mapping of groups which are mentioned in connection with each recommendation is also provided.

Find out more about this Recommendation





Results of an Analysis of Existing FAIR Assessment Tools

The Challenge:

The aspirational nature of the FAIR data principles and their rapid adoption at international level has led to a wide range of interpretations of FAIRness since the principles do not strictly define how to achieve a state of FAIRness but rather describe a continuum of features, attributes and behaviours that move a digital object closer to that goal. As a result, a number of differing methodologies to assess FAIRness have been developed already and relevant work is under way by various groups. Due to the lack of a common set of core assessment criteria for FAIRness, researchers and organisations cannot evaluate the readiness and implementation level of their datasets vis-à-vis the FAIR data principles in a coherent way. In addition, research performing organisations and data infrastructures cannot develop or follow a minimum set of shared guidelines to climb up the ladder of FAIR because of the increased heterogeneity of the offered FAIR metrics tools.



Produced by: FAIR Data Maturity Model WG

https://www.rd-alliance.org/groups/fair-data-maturity-model-wg

As a landscaping exercise, the editorial team of the FAIR Data Maturity Model Working Group analysed current and existing approaches related to FAIR self-assessment tools. The analysis was made based on publicly available documentation and an online survey. Questions and options stemming from these different approaches were classified according to the FAIR principles/facets. Comments were collected and incorporated. This resulted in five slide decks, combined in this output, that make up this preliminary analysis.

What is the impact?

This document provides an overview of a number of existing FAIR assessment tools, listing the indicators used in these tools to assess the FAIRness of a data set. This is useful if you wish to discover and compare existing FAIR assessment tools and the questions that are being asked. The analysis is a first step to identify the FAIR maturity criteria, by the end of 2020.

Find out more about this Recommendation





The Research Data Alliance (RDA) 15th Plenary Meeting "Data for Real-World Impact", will take place from 18 - 20 March 2020 in Melbourne, Australia. The event will be hosted by CSIRO (Commonwealth Scientific and Industrial Research Organisation) with the support of the Australian Research Data Commons (ARDC). The RDA Plenary meeting will be organised in conjunction with the annual Collaborative Conference on Computational and Data Intensive Science (C3DIS). All of these professionals share a common interest: the production of breakthrough science outcomes that require large scale, complex computations and analyses to be carried out over massive data sets. We are hoping for great interactions between the two communities through the collocation of the two events.



COLLECT THEM ALL!

RDA Plenary





COVID-19 Recommendations and Guidelines for Data Sharing

The Challenge:

Under public health emergencies, particularly the COVID-19 pandemic, where the rapid pace of a disease and the immense and rapid mobilisation of resources could create an environment for inaccurate or low-quality data, sharing preliminary data and results in both a timely and accurate manner and harmonising the many diverse data infrastructures is crucial. The availability of research data is a key component of pandemic preparedness and response; the timeliness of accessing data and the harmonisation across information systems are currently major roadblocks.



Produced by: RDA COVID-19 Working Group

https://www.rd-alliance.org/groups/rda-covid19



Develop a body of work that comprises how data from multiple disciplines inform response to a pandemic combined with guidelines and recommendations on data sharing under the COVID-19 circumstances. This extends to research software sharing, in recognition of the key role in software in analysing data. The work is divided into four research areas (Clinical, Omics, Epidemiology, Social Sciences) with four cross-cutting themes (Community Participation, Indigenous Data, Legal and Ethical Considerations, Research Software). The guidelines aim to help stakeholders follow best practices to maximise the efficiency of their work and to act as a blueprint for future emergencies. The recommendations aim to help policymakers and funders maximise timely, quality data sharing and appropriate responses in such health emergencies.

What is the impact?

A system for data sharing in public health emergencies that supports scientific research and policymaking, including an overarching framework, common tools and processes, and principles that can be embedded in research practice. Guidelines that address general aspects of data practice, for example the FAIR principles, or the adoption of research-domain community standards.

Find out More about the RDA COVID-19 Recommendations and Guidelines for Data Sharing



Use cases and identifier schemes for persistent software source code identification

The Challenge:

Software, and in particular source code, plays an important role in both industrial and academic research. However, unlike research data and scientific articles, the overwhelming majority of software source code is developed and used outside the academic world, in industry and in developer communities. As a consequence, software in general is either not formally identified or referenced at all, or is identified and referenced through methods that are totally different from the ones typically used in scholarly publications.



Produced by: RDA/FORCE11 Software Source Code Identification WG

https://www.rd-alliance.org/groups/rdaforce11-software-source-code-identification-wg

I his document captures the current state-of-the-art of the practice of software identification, including use cases and identifier schemes from different academic domains and industry, mapping and clarifying the usage of different identifiers, including both intrinsic and extrinsic identifiers. This should provide solid ground on which to build recommendations for the academic community, and help academic and industrial stakeholders to adopt solutions compatible with each other and especially with the software development practice of tens of millions of developers worldwide.

What is the impact?

Provides an overview of the current **state-of-the-art of the practice of software identification**, including use cases and identifier schemes from different academic domains and in industry.

Find out more about the use cases and identifier schemes for persistent software source code identification





FAIR Data Maturity Model: specification and guidelines

The Challenge:

In the past years, many methodologies and tools have been developed to assess the FAIRness of research data. These different methodologies and tools have been based on various interpretations of the FAIR principles, which makes comparison of the results of the assessments difficult.



Produced by: FAIR Data Maturity Model WG

https://www.rd-alliance.org/group/fair-data-maturity-model-wg/outcomes/fair-data-maturity-model-specification-and-quidelines-0



This document reports on a set of indicators with priorities and guidelines that provide a 'lingua franca' that can be used to make the results of the assessment using methodologies and tools comparable.

What is the impact?

This document can be used towards normalising the assessments approaches, thereby allowing to compare their results. It can also act as a tool that can be used by various stakeholders, including researchers, data stewards, policy makers and funding agencies, to gain insight into the current FAIRness of data as well as into the aspects that can be improved to increase the potential for reuse of research data. Through increased efficiency and effectiveness, it helps research activities to solve societal challenges and to support evidence-based decisions.

Find out more about the Recommendation from the RDA FAIR Data Maturity Model Working Group





Developing a Research Data Policy Framework for All Journals and Publishers

The Challenge:

Journal and publisher policies can increase data sharing by researchers, but differences in research data policy requirements across journals and publishers can lead to confusion, both for authors and for research support staff. As stakeholders, including publishers, funding agencies and institutions, continue to implement and strengthen their policy requirements, there is increased potential for conflicting policy guidance, making compliance more challenging.



Produced by: RDA Data policy standardisation and implementation IG

https://datascience.codata.org/article/10.5334/dsj-2020-005/

We define and describe 14 features of journal research data policies and arrange these into a set of six standard policy types or tiers, which can be adopted by journals and publishers to promote data sharing in a way that encourages good practice and is appropriate for their audience's perceived needs. Policy features cover expectations for data citation, data repositories, data availability statements, data standards and formats, and peer review of research data. Implementation guidelines for the standard research data policies for journals and publishers are also provided, along with template policy texts which can be implemented by journals in their Information for Authors and publishing workflows.

Cill Olli

What is the impact?

The framework has been adopted or utilised by several publishers, journals and organisations in 2019-2020. It is supporting measurable increases in the number of journal policies and published papers that make statements about the availability of supporting data. The STM Association is using the framework to promote adoption of data sharing policies by its nearly 150 member publishers; PLOS and some Springer Nature journals have updated their research data policies in response to the framework, as have scientific journals in Slovenia. The framework has been published in a peer-reviewed journal and is being

Find out more about the

Output from the RDA Data policy standardisation and implementation IG



Persistent Identification of Instruments

The Challenge:

Instruments play an essential role in creating research data. Given the importance of instruments and associated metadata to the assessment of data quality and data reuse, globally unique, persistent and resolvable identification of instruments is crucial.



Produced by: RDA Data policy standardisation and implementation IG

https://datascience.codata.org/article/10.5334/dsj-2020-005/



The Research Data Alliance Working Group Persistent Identification of Instruments (PIDINST) developed a community-driven solution for persistent identification of instruments which we present and discuss in this paper. Based on an analysis of 10 use cases, PIDINST developed a metadata schema and prototyped schema implementation with DataCite and ePIC as representative persistent identifier infrastructures and with HZB (Helmholtz-Zentrum Berlin für Materialien und Energie) and BODC (British Oceanographic Data Centre) as representative institutional instrument providers.

What is the impact?

The Supporting Output provides two tested approaches for persistent identification of instruments.

Find out more about the Supporting Output from the Persistent Identification of Instruments WG





Top 10 FAIR Data & Software Things

The Challenge:

The Top 10 FAIR Data & Software Global Sprint was held online over the course of two-days (29-30 November 2018), where participants from around the world were invited to develop brief guides (stand alone, self paced training materials), called "Things", that can be used by the research community to understand FAIR in different contexts but also as starting points for conversations around FAIR. The idea for "Top 10 Data Things" stems from initial work done at the Australian Research Data Commons or ARDC (formerly known as the Australian National Data Service).



Produced by: Libraries for Research Data IG

https://zenodo.org/record/3409968#.X3WilC8QNVQ

The Top 10 FAIR Data & Software Things are brief guides (stand alone, self paced training materials), called "Things", that can be used by the research community to understand how they can make their research (data and software) more FAIR (Findable, Accessible, Interoperable and Reusable).

What is the impact?

The Output provides 17 topic-based, community submitted brief guides that can be used by the research community to understand how they can make their research (data and software) more FAIR (Findable, Accessible, Interoperable and Reusable).

Find out more about the Supporting Output from the Libraries for Research Data IG





RDA COVID-19 WG Zotero Library

The Challenge:

To develop and curate a targeted bibliography in a very short period of time, in the midst of an infodemic, to support the work of the RDA COVID-19 work group and cross-disciplinary teams.



Produced by: RDA-COVID19 WG Zotero Library

https://www.rd-alliance.org/group/rda-covid19/outcomes/ rda-covid19-wq-zotero-library



The RDA-COVID19 WG Zotero Library was created by the RDA COVID-19 WG to support development of the RDA COVID-19 Data Sharing Recommendations and Guidelines.

This is a "green" supporting output in that it will continue to be updated with new resources/references to keep the librar relevant.

The Library is publicly available on the Web at: https://www.zotero.org/groups/2485086/rda-covid19_wg

What is the impact?

The Library contains resources and references supporting the following RDA COVID-19 sub work groups: clinical, community, epidemiology, Indigenous, legal and ethics, omics, social, and software.

Find out more about the Supporting Output from the RDA-COVID19 WG





Scholix Metadata Schema for Exchange of Scholarly Communication Links

The Challenge:

The goal of the Scholix initiative is to establish a high level interoperability framework for exchanging information about the links between scholarly literature and data. It aims to enable an open information ecosystem to understand systematically what data underpins literature and what literature references data.

What is the solution?

- The current vehicle for the Scholix initiative is the Scholarly Link Exchange Working Group, a joint initiative of the Research Data Alliance and the World Data System. Scholix is an evolving lightweight set of Guidelines to increase interoperability. It consists of:
 - A consensus among a growing group of publishers, datacentres, and global/domain service providers to work collaboratively and systematically to improve exchange of data-literature link information



Produced by: RDA/WDS Scholarly Link Exchange (Scholix) WG

https://zenodo.org/record/1120265#.X3Wkry8QNVQ



- Information model: conceptual definition of what is a Scholix scholarly link
- Link metadata schema: metadata representation of a Scholix link
- Options for exchange protocols (forthcoming)

What is the impact?

Scholix is the "wholesaler to wholesaler" exchange framework, to be implemented by existing hubs or global aggregators of data-literature link information such as DataCite, CrossRef, OpenAIRE, or EMBL-EBI. These hubs in turn work with their natural communities of data centres or literature publishers to collect the information through existing community-specific workflows and standards. Scholix thus enables interoperability between a smaller number of large hubs and leverages the existing exchange arangements between those hubs and their natural communities (eg between CrossRef and journal publishers). Scholix is a technical solution to wholesale information aggregation; it will need to be complemented by other policy, practice and cultural change advocacy initiatives.

Adoption examples:

Aside from the Scholix hubs mentioned above, Scholix is used to link articles to datasets in Scopus, it has been adopted by many publishers and most data

Find out more about the Recommendation from the RDA/ WDS Scholarly Link Exchange (Scholix) WG